


thereof, a mono- or dialkyl itaconate or fumarate having 1 to 5 carbon atoms in the alkyl moiety thereof, maleic anhydride, vinylidene chloride, styrene, divinylbenzene, vinyl chloride, vinyl acetate, vinyl acetal, ethylene, propylene, butene, butylene, methylpentene, butadiene, vinyltoluene, acrylonitrile, methacrylonitrile, acrylamide, acrylic acid, methacrylic acid, itaconic acid, fumaric acid, citraconic acid, crotonic acid, β -acryloxypropionic acid, or a hydroxyalkyl acrylate or methacrylate having 1 to 6 carbon atoms in the alkyl moiety thereof;

(B) a silicone rubber having at least one constituent unit selected from the group consisting of a unit represented by formula (I) and a unit represented by formula (I'):



wherein R_1 , R_2 and R_3 each individually represent an alkyl, alkoxy or hydroxyalkyl group having 1 to 100 carbon atoms, a hydroxyl group, a carboxyl group, a carboxylalkyl group, an N-(2-aminoalkyl)aminoalkyl group, an aminoalkyl group, an amino group, an epoxyalkyl group, an epoxy group, a

methylnpolyoxyethylenealkyl group, a hydroxypolyoxy-ethylenealkyl group, a methylnpolyoxyethylene polyoxypropylene group, a hydroxypolyoxyethylene polyoxypropylene group, an alkyl-polyoxypropylene group, a polyoxyethylene group, a phenyl group or a fluorinated alkyl group;

(C) at least one resin selected from nylon, polyester, an epoxy resin, an aminoalkyd resin, a urethane resin, polyacetal, and polycarbonate;

(D) an organopolysilsesquioxane; and

(E) at least one water-insoluble inorganic substance selected from silica, porous silica, sodium silicate glass, soda-lime glass powder, silicon carbide, a sheet silicate, quartz sand, aluminum oxide, magnesium oxide, titanium oxide, calcium carbonate, calcium phosphate, chromium oxide, emery, dolomite, mica powder, siliceous stone, kaolinite, halloysite, montmorillonite, illite, vermiculite, hectorite, bentonite, chitin powder, chitosan powder, and hydroxyapatite.

30. (New) The detergent-impregnated article according to claim 21, wherein said solid abrasive particles have an average primary particle size of 0.01-10 μm .

31. (New) The detergent-impregnated article according to claim

D1
Cont 21, wherein the solid abrasive particles are present in the
detergent in an amount of 0.1 to 5% by weight.--
